



## EPS No.1006

**Subject:** Low Temperature R-Values

**Date:** January 2008 (Revised February 2015)

The following chart has been assembled to aid in the design of Foam-Control EPS applications in low temperature conditions.

Product	Temperature			
	40°F (4.4°C)	25°F (-3.9°C)	0°F (-17.8°C)	-25°F (-31.7°C)
<b>100</b>	4.2	4.4	4.5	4.7
<b>130</b>	4.4	4.6	4.7	4.8
<b>150</b>	4.6	4.7	4.8	5.0
<b>250</b>	4.8	5.0	5.1	5.3



Foam-Control EPS products are manufactured by AFM Corporation licensees.

Copyright © 2015 AFM Corporation. All rights reserved. Printed in USA. Foam-Control and Control, Not Compromise are registered trademarks of AFM Corporation, Lakeville, MN.

